

Enfamil[®] Infant Formula Powder

Yields about 1 Quart

NOTE: Powdered products are not commercially sterile and should not be used for immunocompromised patients unless clinically required, and then under strict medical supervision of preparation and use.

Calories Desired Kcal/fl oz	Amount of Powder Grams (Approximate Household Measures*)	Amount of Water Fluid Ounces
10	63 g (1/2 cup+1 Tbsp)	30.5
15	95 g (3/4 cup+1 Tbsp+1 tsp)	29.5
20	127 g (1 cup+2 Tbsp)	28.5
22	139 g (1 cup + 3 Tbsp + 2 tsp)	28.5
24	152 g (1-1/3 cups + 1 tsp)	28
26	165 g (1-1/3 cups+2 Tbsp)	27.5
27	171 g (1-1/2 cups + 1 tsp)	27.5
28	177 g (1-1/2 cups +1 Tbsp)	27.5
30	190 g (1-2/3 cups + 1 tsp)	27

*Household measures of Enfamil Infant should be unpacked, level, standard measures.

Weighing powder product provides the most accurate final preparation. Approximate household measurements are provided as a convenience when a precise dilution is not required.

One-half fluid ounce of water can be measured using one Tablespoon (1 Tbsp water=1/2 fl oz water).

Table 378, REV 2/15
150138