

Patient: \_\_\_\_\_

Date: \_\_\_\_\_

Healthcare Provider: \_\_\_\_\_

# Enfamil® ProSobee® Infant Formula Mixing Instructions

Follow the instructions for preparation and use on the back of the can, **except**, in place of the chart on the can, use the checked boxes for your specific recipe for water and powder.



To make	<input checked="" type="checkbox"/>	Initial Water Volume (fluid oz)	Enfamil ProSobee Powder to Add
<b>22</b> CALORIES per fluid ounce:	<input checked="" type="checkbox"/>	4 fl oz	3 Tbsp
	<input type="checkbox"/>	32 fl oz	1 c + ½ c + 2 tsp
<b>24</b> CALORIES per fluid ounce:	<input checked="" type="checkbox"/>	4 fl oz	3 Tbsp + 1 tsp
	<input type="checkbox"/>	32 fl oz	1 c + ⅔ c + 2 tsp
<b>26</b> CALORIES per fluid ounce:	<input checked="" type="checkbox"/>	4 fl oz	3 Tbsp + 2 tsp
	<input type="checkbox"/>	32 fl oz	1 c + ¾ c + 2 Tbsp
<b>27</b> CALORIES per fluid ounce:	<input checked="" type="checkbox"/>	4 fl oz	¼ c
	<input type="checkbox"/>	32 fl oz	1 c + ¾ c + 3 Tbsp + 1 tsp
<b>28</b> CALORIES per fluid ounce:	<input checked="" type="checkbox"/>	4 fl oz	¼ c
	<input type="checkbox"/>	32 fl oz	2 c + 2 tsp
<b>30</b> CALORIES per fluid ounce:	<input checked="" type="checkbox"/>	4 fl oz	¼ c + 1 tsp
	<input type="checkbox"/>	32 fl oz	2 c + 3 Tbsp + 1 tsp



**Note:** All household measurements (c = cup, Tbsp = tablespoon, tsp = teaspoon, oz = ounces) are approximations and should be unpacked and level. Some measurements may be identical in order to utilize household measurements instead of grams. Gram weights are the most accurate for meeting target caloric density. Final volumes will be slightly higher due to displacement from powder.